



IJCSPUB PUBLICATION (IJCSPUB.ORG)

INTERNATIONAL JOURNAL OF CURRENT SCIENCE (IJCSPUB)

An International Open Access, Peer-reviewed, Refereed Journal

A STUDY OF AGRICULTURE'S IMPACT ON THE ENVIRONMENT

Dr. Javed Iqbal

Assistant Professor

Department of Zoology

Jamshedpur Worker's College, Jamshedpur

ABSTRACT

Climate affects presence and manageability of farming as it relies on the utilization of characteristic assets without a doubt, horticulture has a more noteworthy natural effect on Earth than some other single human action. Ordinary agrarian cultivating practices won't give the food and fiber required by expanding populace later on As a rule, the inquiry emerges, would we be able to create and receive the horticulture cultivating rehearses that can deliver the food expected to take care of an expanding populace and all the while continue our current circumstance on long haul premise.

Keywords:- Agriculture, Environment.

INTRODUCTION

There is acceptable proof that postponing and lessening the paces of compost application can diminish generally expenses and contamination without harming yields (Tilman et al., 2002). From the mid nineteenth century to the center of the 1990s about 150 years, people changed over near 1 billion hectares of timberlands, fields, and wetlands to farmlands. Nearly in each occasion, soil disintegration rates expanded ordinarily from what they had been in the characteristic environments. Since, 1950 about 33% of U.S. cropland has been deserted because of disintegration (Hawken et al., 1999), Soil disintegration rates in the United States could not hope to compare to those in Asia, Africa, and South America, where misfortunes normal 30 to 40 metric tons for each hectare every year (Pimentel et al., 1995) Since 1945, moderate, serious, or outrageous soil debasement has influenced 1.2 billion hectares of agrarian land around the world, a zone the size of China and India consolidated. Somewhere in the range of 80% of this corruption has occurred in creating nations (Hawken et al., 1999)

The Food and Agriculture Organization of the United Nations (FAO) assesses that in creating nations alone at any rate 13 million hectares of woodland are lost to farming every year. An ongoing report in Europe inferred that farming was the fundamental driver of phosphorus contamination in the waterfront zones of Mediterranean nations (Ongley, 1996).

Worldwide, the zone of watered horticulture has expanded consistently from 47.3 million hectares in 1930 to 254 million hectares in 1995 (Kirda, 1999). Around 40% of the world's food is created on the 16 percent of horticultural land that is watered (Tilman et al., 2002), Three yields represent 58 percent of all inundated land: rice (34 percent), wheat (17 percent). and cotton (7 percent). The effectiveness of water use changes from district to locale and from harvest to edit (Gleick 2000).

A great part of the planet's methane (CH₄) discharges originate from the creation of domesticated animals and ceaselessly overwhelmed rice paddies (Wassman et al., 2000). One gauge places all out methane discharges from rice at around 10 to 15 percent of complete worldwide methane outflows (Wang et al., 2000). Expanding the convergence of carbon dioxide causes incomplete conclusion of plant stomata (the little openings in plant leaves that control the progression of air), which thusly diminishes evaporative cooling and can cause leaf temperatures to surpass air temperature (Shafer, 2002).

Agriculture can either sustain or degrade the environment (Millennium Ecosystem Assessment, 2005) has documented agriculture's main negative effects on land and freshwater, as well as the importance of agricultural landscapes in providing products for human sustenance, supporting biodiversity and maintaining ecosystem services.

Negative impacts such as conversion of forests, grasslands and other habitats for agricultural use, degradation of soil quality (20 per cent of African soils are seriously degraded), pollution of soil and surface water, aquifers and coastal wetlands through excessive or inappropriate use of pesticides and fertilisers, significant loss of crop and livestock genetic diversity through the spread of industrial monocultures, reducing resilience in the face of climate and other changes.

Many agricultural activities can have environmental impacts on land, water, and air. These environmental impacts will differ based on the farm location, farm type, and the specific farming and land management practices used as well as the timing of these practices (ie., season of fertilizer. application) For instance, nutrients and pesticides can run off agricultural fields into surface water bodies or leach into groundwater. Increased phosphorus loading from agriculture is one of several factors that have resulted in algal blooms in both Lake Erie and Lake Winnipeg The effects of climate change on agricultural production vary from one region to another depending on the prevailing climate of the region, hence affects agricultural productivity differently. Nigeria, like all other countries of sub-Saharan Africa is highly vulnerable to the impact of climate change (Muhammed et al, 2011). Aluko et al. (2008) was of the opinion that climate change has significant impact on fragile soil and traditional farming systems.

NEGATIVE EFFECTS OF AGRICULTURE ON OUR CURRENT CIRCUMSTANCE

The act of agribusiness has been around for a very long time and has become a fundamental lifestyle for a lion's share of the world. Steadily throughout the long term, farming cycles: have thrived and turn out to be more proficient. In any case, presently with new exploration and mechanical turns of events, researchers have discovered the negative impacts that homesteads have had on the climate. For world's absolute anthropogenic carbon dioxide outflows, horticultural movement is liable for 20% of the aggregate (Litterman et al., 2003), Current rural strategies were commonly inefficient in their utilization of manures. Regularly, numerous ranchers include a lot of compost or fertilizer at the hour of planting so as to cover and secure the youthful plants. This method was wasteful, since the youthful plants couldn't retain the vast majority of the nitrogen.

In this manner, a significant part of the nitrogen was lost to the climate in various manners. This activity causes an interruption in the pH of the dirt, which influences plant development. On the off chance that the dirt pH was sufficiently high, at that point the harmony will be driven towards smelling salts, an unpredictable gas. This arrival of smelling salts into the environment will in the end bring about the arrival of alkali to the earth through downpour (Trautmann and Porter, 1998), Phosphate based manures was likewise utilized notwithstanding nitrogen based composts. Sadly, likewise with nitrogen based manures, there are negative natural results.

The expanding utilization of phosphate composts has prompted the collection of phosphorus in soils. This causes issues on the grounds that the methods by which phosphorus was immobilized can't oblige for the extra phosphorus that manures add to soils. Thus, high convergences of phosphorus stream away with rural spillover. The harmful impacts of phosphorus perceptible when farming overflow was hope in lob streams and other water sources on the W inordinate measure of phosphorus prompts eutrophication.

NATIONAL AND INTERNATIONAL POLICIES

Reinforce neighborhood rights and security of re Sustainable agribusiness and the mitigation of p require agrarian change and an impartial redistrib rights to get to assets, for example, land, water, w and seeds. Such changes need to recognize an area and think about the privileges of indigenous individuals to self-sufficiency in their domains. Approaches should the assorted needs of these and different gathering including ranchers, pastoralists, timberland tenants, fisher society and individuals who choose minor grounds, for example, those with helpless soils (ICARRD, 2006)

ENERGIZE PUBLIC ARRANGEMENTS FOR SUPPORTABLE FARMING

Worldwide food security depends on continuing the climate and the biological cycles that support agribusiness. Public arrangements are expected to guarantee political responsibility, motivators, and to assemble instructive and institutional abilities to advance manageable agribusiness Approaches incorporate coordinated irrigation, yield, supplement and soil the board, just as land-use arranging The current over accentuation on hereditary designing procedures must be adjusted by approaches that depend on agro-nature and scene environment just as social and organic variety.

CHANGE EXCHANGE APPROACHES, MARKETS AND MONETARYMOTIVATORS

The mainstreaming of ecological manageability into food and agribusiness will require methodical changes of exchange strategies, markets, tax assessment, endowments and financial impetuses. These must fortify the UN Convention on Biological Diversity, the UN Framework Convention on Climate Change, Agenda 21, the Millennium Ecosystem Assessment and the FAO's Right to Food Guidelines of 2004.

EXTENSION STRATEGY

For any program to be fruitful the cooperation of augmentation laborers is of most extreme significance. The abandoned terrains can be re-established by different ways relying on the assets accessible for enhancement. The exact strategy for effective recovery to agribusiness will be reliant on nearby conditions and practice, as identified with areas, countries and mainlands. Expansion laborers make mindfulness among the majority with respect to the profitability and supportability of the land by holding forefront exhibitions or technique show.

CONCLUSION

India is a developing country, so, it should take more serious action related to environment and agriculture. Policies are needed, particularly, improving for agricultural Infrastructure, strengthening research and development of new technologies. Establishment and implementation of new laws and regulations should be enhanced for the development and transfer of new technologies in the field of agriculture which are environment friendly.

REFERENCES

1. Tilman D. et al. Agricultural sustainability and intensive production practices. *Nature* 2002;418:671-677.
2. Hawken P. et al. *Natural Capitalism: Creating the Next Industrial Revolution*. Boston: Little, Brown and Company 1999,
3. Pingali PL, et al. Pesticides and Philippine rice farmer health: A medical and economic analysis. *American Journal of Agricultural Economics* 1994;76(3):587-592.
4. Ongley ED. *Control of Water Pollution from Agriculture*, FAO Irrigation and Drainage Paper 55. Rome: UN Food and Agriculture Organization 1996.
5. Kirda C. et al. *Crop Yield Response to Deficit Irrigation*. Dordrecht, Netherlands: Kluwer Academic Publishers 1999.
6. Gleick PH. *The World's Water 2000-2001*. Washington, D.C.: Island Press 2000.
7. Wassman R, et al. Characterization of methane emissions from rice fields in Asia. I. Comparison among Field Sites in Five Countries. *Nutrient Cycling in Agroecosystems* 2000;58:1-12.
8. Wang ZY, et al. A four-year record of methane emissions from irrigated rice fields in the Beijing region of China. *Nutrient Cycling in Agroecosystems* 2000;58:55-63.

9. Shafer SR. The expected impacts of climate change on global agricultural systems. powerpoint presentation. National Program Leader, Global Climate, U.S. Department of Agriculture, Agriculture Research Service, Beltsville, Md 2002.
10. Millennium Assessment. Global Assessment Report.Vol 1. The Millenium Ecosystem Assessment. IslandPress, Washington DC 2005.
11. Aluko AP, Oyeleye B, Sulaiman ON, Ukpe IE. Climate change: A threat to food security and environmental protection. Proceedings of the 32nd Annual Conference on Forestry Association of Nigeria 2008.
12. Litterman, Adam, Onigbanio, Tolu, Soroka, Teresa. Environmental Impacts of Agriculture. Princeton University 2003.
13. Trautmann, Nancy M, Porter, Keith S. Modern Agriculture: Its Effect on the Environment 1998.
14. ICARRD. Agrarian reform in the context of food sovereignty, the right to food and cultural diversity: land, territory and dignity. International Conference on Agrarian Reform and Rural Development. ICARRD, Porto Alegre, Brazil 2006.



IJCS PUBLICATION (IJCSPUB.ORG)